

Restoring populations of declining wildlife species.

Providing farmers, ranchers, and forest managers with regulatory certainty.

Strengthening and sustaining rural economies.

•••••
1
1
1
1
2

Executive Summary

The nation's rural landowners—its farmers, ranchers, and forest owners—provide not only food and fiber for the world, but also a host of environmental benefits, including habitat for wildlife.

Nearly two thirds of all species federally listed as threatened or endangered exist on private lands. Conservation efforts on these lands generate outdoor recreation and economic activity that result in sustained growth for local communities and landowners.

Through Working Lands for Wildlife —a voluntary, incentive-based effort—the Natural Resources Conservation Service (NRCS) and its conservation partners will provide landowners with technical and financial assistance to:

- Restore populations of declining wildlife species.
- Provide farmers, ranchers, and forest managers with regulatory certainty that conservation investments they make today help sustain their operations over the long term.
- Strengthen and sustain rural economies by restoring and protecting the productive capacity of working lands.

The project will target species whose decline can be reversed and will benefit other species with similar habitat needs. Several mechanisms are being used to provide regulatory certainty to landowners regarding their implementation of NRCS conservation practices for species that are protected by the Endangered Species Act or likely candidates for such action. The mechanisms can include informal agreements, conference opinions, biological opinions, Candidate Conservation Agreements, Safe Harbor Agreements, and Habitat Conservation Plans.

The mechanisms provide regulatory certainty for landowners and they lessen confusion or conflict around species legal protection. The mechanisms ensure landowner that the conservation practices they volunteer to implement will not harm the species or its habitat. By taking action now to prevent a species from declining, the potential for future land use limitations and substantial conservation expenses can be avoided.

U.S. Fish and Wildlife Service (FWS) along with state fish and wildlife agencies played a key role in providing expertise to determine the management needs of species and the priority areas to focus the work.

Productive working lands are compatible with the needs of wildlife, and through innovative use of existing tools and resources, government can assist private landowners to protect the environment and rural communities.

Working Lands for Wildlife

The Economics of Wildlife and Habitat Conservation

The 2006 National Survey of Fishing, Hunting, and Wildlife-Associated Recreation found that 87.5 million U.S. residents 16 years old and older participated in wildliferelated recreation that year.

These wildlife enthusiasts, including hunters, anglers and wildlife-watchers, spent \$122.3 billion on their activities.

A 2006 report prepared for the Outdoor Industry Foundation found that wildlife-based recreation supported 1.4 million jobs, generated \$9 billion in tax revenues, and \$139 billion in economic activity.



Page 2 | Working Lands for Wildlife

Species Selection Criteria

Wor

The Working Lands for Wildlife project will target species whose decline can be reversed and will benefit other species with similar habitat needs. Seven species were identified during a collaborative process with partners for inclusion in the project: bog turtle, golden-winged warbler, gopher tortoise, greater sage-grouse, lesser prairie chicken, New England cottontail, and southwestern willow flycatcher. Selection criteria included the following considerations: conservation on private lands can influence species' outcomes; needs of the selected species are compatible with agricultural practices and rural land management; viable core habitat areas can be protected and habitat recovery opportunities exist; partnership opportunities exist to produce more efficient conservation delivery; Endangered Species Act (ESA) tools are in place to provide regulatory certainty; and habitat improvements benefit a host of other species.

2			
	Species	Status	Range
	Bog Turtle	Threatened	Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Pennsylvania
SUDO	Golden-Winged Warbler	At-Risk	Georgia, Kentucky, Maryland, New Jersey, New York, North Carolina, Pennsylvania, Tennessee, Virginia, West Virginia
	Gopher Tortoise	Western Populations: Threatened Eastern Populations: Candidate	Alabama, Florida, Georgia, Louisiana, Mississippi, South Carolina
	Greater Sage-Grouse	Candidate	California, Colorado, Idaho, Montana, Nevada, North Dakota, South Dakota, Oregon, Utah, Washington, Wyoming
22	Lesser Prairie Chicken	Candidate	Colorado, Kansas, Oklahoma, New Mexico, and Texas
	New England Cottontail	Candidate	Connecticut, Maine, Massachusetts, New Hampshire, New York, Rhode Island
6	Southwestern Willow Flycatcher	Endangered	Arizona, California, Colorado, Nevada, New Mexico, Utah



Working Lands for Wildlife | Page 3

Focus Species







Top to bottom: Lesser Prairie Chicken, Gopher Tortoise, Southwester Willow Flycatcher, New England Cottontail

Bog Turtle

Working Lands for Wildlife





Bog Turtle

Listing Status: Threatened

Background

The bog turtle (*Glyptemys muhlenbergii*), America's smallest turtle, is federally listed as Threatened under the Endangered Species Act. Bog turtles depend upon a habitat mosaic of open, sunny, spring fed wetlands and scattered dry areas. Bog turtles can be an indicator of water quality and wetland function; the wetland habitats that they require provide important ecosystem services, including purifying water, recharging underground aquifers and absorbing floodwaters. The wetlands also support many rare plants and animals.

The greatest threats to bog turtles include habitat degradation and fragmentation from land conversion, habitat succession due to invasive exotic and native plants, and illegal trade and collecting. Changes in land use or alterations in water flow reduce a wetland's ability to function. Wetland habitats have been drained and filled for development, agriculture, road construction and impoundments have severely fragmented the remaining habitat and have created physical barriers, isolating existing bog turtle populations.

Private landowners control the majority of bog turtle habitat remaining in the northeast. Many of the wetlands are located in agricultural areas that are subject to frequent livestock grazing. Proper grazing management conserves habitat by slowing natural plant succession and minimizing the encroachment of invasive native and exotic plant species. However, heavy grazing may destroy bog turtle habitat that is necessary for turtle nesting, basking, foraging and cover.

NRCS has worked with the USFWS to initiate a range-wide Biological Opinion for bog turtle habitat restoration activities. Working Lands for Wildlife will provide financial and technical support to increase conservation efforts. Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Pennsylvania

Focal Area Map



	Total Acres Needing
Resource Concern	Treatment
Fish and Wildlife	TBD
Inadequate Habitat; Food and Cover;	
Habitat Degradation	
Degraded Plant Condition	TBD
Excessive plant pest pressure	
Water Quality Degradation	TBD
Excessive nutrients and pesticides	

Goals / Objectives

Through Working Lands for Wildlife, NRCS will assist private landowners combat habitat fragmentation and degradation to restore bog turtle populations in seven states, and increase landowner confidence that the conservation practices they volunteer to implement will not harm the species or its habitat. Restoration activities will complement the existing NRCS Wetland Reserve Program effort to protect bog turtle habitat.

Bog Turtle



Actions

- Protect, maintain, and restore bog turtle habitat.
- Increase connectivity of existing bog turtle habitat.
- Improve weed and invasive species management.
- Support sustainable grazing management that supports native plant communities.
- Promote use of government programs that provide incentives for development or restoration of habitat on private lands.

Core Practices

- 643 Restoration and Management of Rare and Declining Habitats
- 644 Wetland Wildlife Habitat
- Management 645 Upland Wildlife Habitat Management
- 647 Early Successional Habitat Development and Management

314 Brush Management 315 Herbaceous Weed Control

- 327 Conservation Cover
- 338 Prescribed Burning

Supporting Practices

- 382 Fence
- 390 Riparian Herbaceous Cover
- 391 Riparian Forest Buffer
- 393 Filter Strip
- 394 Firebreak
- 395 Stream Habitat Improvement 410 Grade Stabilization
- 472 Access Control
 - 516 Livestock Pipeline
 - 528 Prescribed Grazing
 - 578 Stream Crossing
 - 580 Streambank and Shoreline Protection
 - 587 Structure for Water Control
 - 614 Watering Facility
 - 642 Water Well
 - 657 Wetland Restoration
 - 659 Wetland Enhancement

Outcomes and Impacts

Landowners will enhance, restore and protect habitat for bog turtle, aiding in the implementation of its recovery plan and increase landowner confidence that the conservation practices they implement will not harm the species or its habitat.

Additional species benefiting in this focal area are: wild turkey, northern bobwhite, mourning dove, bass, and trout.









Golden-Winged

Warbler

Listing Status: At-Risk

Background

The vast forested lands, grasslands and forb-rich landscape of the Appalachian Mountains was once considered a population stronghold for the goldenwinged warbler (*Vermivora chrysoptera*). Today, the species in the Appalachian region is considered to be atrisk, however has not been recognized as a candidate species.

The most common explanations point to the loss and degradation of early successional habitat. Golden-winged warblers and many other species depend upon shrubby, vegetated areas like forest clear-cuts, alder swamps, utility rights-of way and other similar habitats for breeding. Several factors have contributed to the decline of these habitats including direct losses to development, reforestation of farmland, fire suppression, and changes in agricultural and forestry practices.

The Appalachian region offers a tremendous opportunity to improve habitat for golden-winged warbler and other neotropical migratory birds. These high elevation forests provide structurally diverse vegetation for breeding and foraging, and offer the greatest opportunity to combat declines in golden-winged warbler.

Working Lands for Wildlife will assist private land owners create and maintain the habitat necessary to sustain breeding populations of golden-winged warbler within and adjacent to their current range. It focuses on the creation, management and maintenance of early successional habitat in close association with forested landscapes, or adjacent to active agriculture or pastureland. Conservation efforts in support of the golden-winged warbler will benefit several other species that depend on similar habitat. Georgia, Kentucky, Maryland, New Jersey, New York, North Carolina, Pennsylvania, Tennessee, Virginia, West Virginia

United States Department of Agriculture Natural Resources Conservation Service

USDA

Focal Area Map



Resource Concern	Total Acres Needing Treatment
Fish and Wildlife Upland Wildlife Habitat Management	9,500
Plant Condition Restoration and Management of Rare and Declining Habitats	500

Goals / Objectives

Working Lands for Wildlife will enable private landowners to create and enhance approximately 10,000 acres of early successional forest habitat over five years through actions that are designed to remove threats and reverse species declines.

Golden-Winged Warbler



Actions

- Restoration and maintenance of habitat supporting healthy, reproducing populations of golden-winged warbler in targeted areas in eight States.
- Increase cooperation with state wildlife agencies and bird conservation partnerships.
- Develop timber harvest technologies and forestry management strategies to support golden-winged warbler and other species sensitive to canopy closure.

Core Practices

- 643 Restoration and Management of Rare and Declining Habitats
 645 Upland Wildlife Habitat Management
- 647 Early Successional Habitat Development and Management

Supporting Practices

- 314 Brush Management 315 Herbaceous Weed Control
- 324 Deep Tillage
- 327 Conservation Cover
- 338 Prescribed Burning
- 342 Critical Area Planting
- 382 Fence
- 386 Field Borders
- 394 Firebreak
- 472 Access Control

- 484 Mulching 490 Tree Shrub Site Preparation
- 511 Forage Harvest
 - Management
- 512 Forage and Biomass
- Plantings 528 Prescribed Grazing
- 612 Tree/Shrub Establishment
- 655 Forest Harvest Trails and
- Landings
- 666 Forest Stand Improvement

WLFW

Outcomes and Impacts

Working Lands for Wildlife will increase improve early successional habitat, decreasing habitat fragmentation and reducing isolation of golden-winged warbler populations. The result will be an expansion of Appalachian breeding habitat and an increase in reproducing golden-winged warbler populations, increasing the success of conservation of the species.

Additional species benefiting in this focal area are: wild turkey, ruffled grouse, mourning dove, rabbit, bass, and trout.







Gopher Tortoise

Listing Status: Candidate

Background

Historically, more than 90 million acres of what is now the southeastern United States were covered by longleaf pine (*Pinus palustris*) savanna; today, only 3.4 million acres remain and most are fragmented and in poor condition. Scattered from Virginia in the north to the Florida peninsula in the south and Texas in the west, longleaf pine forests are some of the world's most biologically diverse ecosystems, and provide critical habitat for 29 threatened and endangered species, including the gopher tortoise (*Gopherus polyphemus*).

The gopher tortoise is considered a keystone species, and an indicator of longleaf pine ecosystem health. Gopher tortoise requires deep, well drained soils and an open understory that provides open sunny sites for nesting. Its burrows provide vital habitat and shelter for many endangered species. In addition, gopher tortoise serves as vector for seed dispersal, helping to maintain biological diversity. The effects of habitat destruction, degradation, and human predation have greatly reduced the gopher tortoise population to the point where gopher tortoise is listed as a threatened species under the Endangered Species Act throughout the western part of its range.

More than eighty percent of gopher tortoise habitat is in private or corporate ownership. In 2011, NRCS launched the Longleaf Pine Initiative (LLPI) to focus technical and financial resources on increasing longleaf pine habitat. Under the initiative, NRCS and its conservation partners are helping private landowners enhance, restore and protect longleaf pine forests. Many of the conservation practices that support longleaf pine forest health also benefit the gopher tortoise, including: forest stand improvement, prescribed burning, restoration and management of rare or declining habitats, and tree/shrub establishment. Working Lands for Wildlife will provide additional resources to support gopher tortoise recovery, and incorporate a species-based indicator of the success of the Longleaf Pine Initiative. Alabama, Florida, Georgia, Louisiana, Mississippi, South Carolina

Focal Area Map



Resource Concern	Total Acres Needing Treatment
Fish and Wildlife	TBD
Threatened and endangered species,	
declining species, species of concern	
Plant Condition	TBD
Noxious and invasive plants	

Goals / Objectives

Working Lands for Wildlife will assist landowners to voluntarily create, restore or enhance gopher tortoise habitat, and increase habitat connectivity which can contribute to the recovery of the tortoise throughout its entire range.

Gopher Tortoise



Actions

- Protect, maintain, and restore longleaf pine forests.
- Increase connectivity of existing gopher tortoise habitat.
- Improve weed and invasive species management.
- Promote use of government programs that provide incentives for development or restoration of habitat on private lands.

Core Practices

643 Restoration and Management of Rare and Declining Habitats
645 Upland Wildlife Habitat Management
647 Early Successional Habitat Development and Management

Supporting Practices

- 314 Brush Management 315 Herbaceous Weed Control
- 327 Conservation Cover
- 338 Prescribed Burning
- 394 Firebreak
- 422 Hedgerow Planting
- 490 Tree Shrub Site Preparation 512 Forage and Biomass Plantings
- 512 Forage and Biomass Planting
- 528 Prescribed Grazing
 550 Range Planting
 612 Tree/Shrub Establishment
 655 Forest Harvest Trails and Landings
- 666 Forest Stand Improvement

WLFW

Outcomes and Impacts

Working Lands for Wildlife will complement the existing Longleaf Pine Initiative by providing targeted funding to help enhance, restore and protect gopher tortoise habitat, and increase landowner confidence that the conservation practices they implement will not harm the species or its habitat.

Additional species benefiting in this focal area are: wild turkey, northern bobwhite, deer, mourning dove, rabbit, and bass.



Greater Sage-Grouse

Working Lands for Wildlife



Greater Sage-Grouse

Listing Status: Candidate

Background

The greater sage-grouse (*Centrocercus urophasianus*), an iconic ground-dwelling bird native to the arid sagebrush plains of the American West, has experienced significant population declines over the last fifty years, making it a candidate for protection under the Endangered Species Act. The population declines have resulted from habitat loss and fragmentation associated with land conversion, energy development, urbanization, wildfire, conifer encroachment, and invasive species.

Although sage-grouse occupy extremely large landscapes (186 million acres), a guarter of all sage-grouse live within 4 percent of the range (7 million acres), and 75 percent of birds are concentrated within 27 percent (50 million acres) of their distribution. In 2010, the NRCS launched the Sage-Grouse Initiative (SGI) to strategically focus conservation efforts to maximize biological benefits to sage-grouse populations. Conservation activities include establishing conservation easements to prevent working ranches from being subdivided; implementing sustainable grazing systems to improve hiding cover for birds; removing invasive conifers from grasslands to allow birds to recolonize otherwise suitable habitat; and marking or moving "high-risk" fences near breeding sites to reduce bird collisions. The Sage-Grouse Initiative capitalizes on the strong link between management required to support healthy sage-grouse habitat and sustainable ranching operations.

In August 2010, NRCS and the United States Fish and Wildlife Service completed a Conference Report on the sage-grouse. The Conference Report gives certainty to landowners that implementing conservation practices to restore and enhance sage-grouse habitat will be in compliance with the Endangered Species Act. NRCS is working to ensure that landowner contributions to sagegrouse conservation are considered in future listing decisions, with the hope of reducing the need to list the bird altogether. Working Lands for Wildlife will provide additional, targeted financial and technical support. California, Colorado, Idaho, Montana, Nevada, North Dakota, South Dakota, Oregon, Utah, Washington, Wyoming

United States Department of Agriculture Natural Resources Conservation Service

USDA

Focal Area Map



	Total Acres Needing
Resource Concern	Treatment
Fish and Wildlife	TBD
Habitat degradation, inadequate habitat	
Degraded Plant Condition	TBD
Inadequate structure and composition	

Goals / Objectives

Healthy working rangelands are key to conserving this species. Partnering with ranchers and using win-win conservation solutions that benefit grazing lands and sage-grouse habitat. Working Lands for Wildlife seeks to proactively conserve the species and keep populations healthy enough to avoid an Endangered Species Act listing.

Greater Sage-Grouse



Actions

- Establish conservation easements to prevent large and intact working ranches from being converted into subdivisions.
- Remove encroached conifers, improving habitat for sage-grouse and other wildlife and increasing forage availability for livestock.
- Improve grazing systems management, increasing rangeland plant diversity, cover for birds and forage availability for livestock.
- Identify and mark fences where sage-grouse collisions are likely reduce accidental mortality caused by fence strikes.
- Increase connectivity of existing core habitat.
- Improve weed and invasive species management.
- Restore and promote healthy, productive springs and seeps.
- **Core Practices** 384 Forest Slash Treatment 645 Upland Wildlife Habitat 388 Irrigation Field Ditch Irrigation Management System 390 Riparian Herbaceous Cover Supporting Practices 394 Firebreak 314 Brush Management 410 Grade Stabilization Structure 430AA-GG Irrigation Water 315 Herbaceous Weed Conveyance-Pipeline Control 327 Conservation Cover 441 Irrigation System, Micro Irrigation 328 Conservation Crop Rotation 442 Irrigation System, Sprinkler System 338 Prescribed Burning 340 Cover Crop 443 Irrigation System, Surface and 342 Critical Area Planting Subsurface 449 Irrigation Water Management 378 Pond 380 Windbreak/Shelterbelt 472 Access Control 500 Obstruction Removal Establishment 382 Fence 511 Forage Harvest Management 512 Forage and Biomass Planting
 - 516
 Pipeline

 516
 Prescribed Grazing

 533
 Pumping Plant

 548
 Grazing Land Mechanical

 Treatment
 Treatment

 550
 Rangeland Planting

 560
 Access Road

 574
 Spring Development

 614
 Watering Facility

 642
 Water Well

 643
 Restoration and

 Management of Rare and
 Declining Habitats

 644
 Wetland Wildlife Habitat

 Management
 Management
 - 654 Road/Trail/Landing Closure and Treatment
 - 734 Fish and Wildlife Structure

WLFW

Outcomes and Impacts

Working Lands for Wildlife will enhance NRCS' ongoing conservation efforts to support sage-grouse recovery by strategically focusing resources to promote healthy grazing lands management. Anticipated long-term outcomes of this initiative are: improved rangeland health; greater connectivity of core sage-grouse habitat; and stabilization and recovery of sage-grouse populations.

Additional species benefiting in this focal area are: wild turkey, pronghorn antelope, mourning dove, rabbit, trout, and black bear.







Lesser Prairie Chicken

Listing Status: Candidate

Background

The lesser prairie chicken (*Tympanuchus pallidicinctus*) is an upland bird found in mixed grass, sand-sage and shinnery oak prairies of western Kansas, southeast Colorado, northwest Oklahoma, the Texas panhandle, and eastern New Mexico. Once widely distributed, the bird has experienced dramatic reductions in population and is now a candidate for listing under the Endangered Species Act. Biologists estimate that only about 50,000 breeding birds remain.

As with the other prairie grouse species, the lesser prairie chicken requires large, intact native grasslands and prairies to thrive. Population declines have been attributed to habitat loss, modification, degradation, and fragmentation within its range.

In 2011, NRCS launched the Lesser Prairie Chicken Initiative (LPCI) to focus technical and financial resources on improving lesser prairie chicken habitat. Under the initiative, NRCS and its conservation partners are helping farmers and ranchers enhance, restore and protect habitat for this sensitive and reclusive bird. Many of the conservation practices that promote healthy grazing lands also benefit the lesser prairie chicken and other wildlife; the primary practices are: prescribed grazing, upland wildlife habitat management, brush management, prescribed burning, range plantings, and restoration and management of rare or declining habitats.

Colorado, Kansas, Oklahoma, New Mexico, Texas

Focal Area Map



Resource Concern	Total Acres Needing Treatment
Fish and Wildlife	225,000
Habitat degradation, inadequate habitat	
Degraded Plant Condition	215,000
Inadequate structure and composition	

Goals / Objectives

Working Lands for Wildlife will assist ranchers voluntarily restore or enhance 500,000 acres of rangeland over five years, combating lesser prairie chicken habitat loss, increasing habitat connectivity, and helping to ensure the continued viability of midwest/western ranching.

Lesser Prairie Chicken



Actions

- Support sustainable grazing management that results in residual nesting cover and supports native plant communities.
- Increase connectivity of existing lesser prairie chicken habitat.
- Improve weed and invasive species management.
- Protect, maintain, and restore large tracts of native shinnery oak/tallgrass or sand sagebrush grassland.
- Maintain stability of land use, and conserve shrub-dominated habitats near lek sites.
- Promote use of government programs that provide incentives for development or restoration of habitat on private lands.

Core Practices

 528 Prescribed Grazing (only a core practice where livestock are present)
 645 Upland Wildlife Habitat Management

- Supporting Practices 314 Brush Management 315 Herbaceous Weed Control 338 Prescribed Burning 340 Cover Crops 342 Critical Area Planting 378 Pond 382 Fence 394 Firebreak 410 Grade Stabilization 472 Access Control 500 Obstruction Removal
- 511 Forage Harvest Management

512 Forage and Biomass Planting
516 Pipeline
533 Pumping Plant
550 Range Planting
574 Spring Development
614 Watering Facility
642 Water Well
643 Restoration of Rare and Declining Habitats
647 Early Successional Habitat Development and Management

WLFW

Outcomes and Impacts

Working Lands for Wildlife will complement the existing Lesser Prairie Chicken Initiative, by providing additional targeted funding to help farmers and ranchers enhance, restore and protect habitat for lesser prairie chicken, and increase landowner confidence that the conservation practices they volunteer to implement will not harm the species or its habitat.

Additional species benefiting in this focal area are: northern bobwhite, scaled quail, pronghorn antelope, mule deer, Swainson's hawk, and short-eared owl.







New England Cottontail

Listing Status: Candidate

Background

In 2006, the New England Cottontail rabbit (*Sylvilagus transitionalis*) was listed as a candidate species under the Federal Endangered Species Act due to an 86 percent decline in its historic range. New England Cottontail is listed as a priority species for the states in which it occurs (Maine, New Hampshire, Massachusetts, Rhode Island, Connecticut, and New York), and it is listed as an "endangered "species by state law in Maine and New Hampshire.

The primary threat to the New England cottontail is loss of habitat through succession. As forests mature, understory thins to such an extent that the habitat is no longer suitable for New England cottontail. Fragmentation serves to further degrade habitat on a larger scale. Isolation of occupied patches by surrounding areas of unsuitable habitat, coupled with high predation rates, are causing local extirpation of New England cottontail from small patches.

In order to sustain local populations, New England Cottontail requires at least 25 acres of continuous early successional habitat intermingled with smaller suitable parcels that are 12 or more acres in size. These core areas need to be connected by dispersal corridors or be within the species dispersal distance. Landscape fragmentation, loss of habitat from succession, infestations of invasive plants, and alterations of hydrology, are the most common resource concerns affecting the New England Cottontail.

Working Lands for Wildlife will develop and maintain habitat within priority areas, and work with landowners to support New England Cottontail recovery and conservation of the species. Connecticut, Maine, Massachusetts, New Hampshire, New York, Rhode Island

Focal Area Map



	Total Acres Needing
Resource Concern	Treatment
Fish and Wildlife	5,000
Inadequate Food; Inadequate	
Cover/Shelter; Inadequate Space; Habitat	
Fragmentation; Imbalance Among and	
Within Population; Declining species,	
Species of Concern	
Plant Condition	3,000
Noxious and Invasive Plants	

Goals / Objectives

Over the next five years, Working Lands for Wildlife will assist private land owners to create and enhance approximately 2,500 acres of shrub thicket and early successional forest. The habitat improvements will support New England Cottontail recovery and conservation.

New England Cottontail



Actions

- Brush management and/or herbaceous weed control to manage invasive plants.
- Reestablishment of native woody vegetation.
- Cutting trees and shrubs to encourage dense forest regeneration and rehabilitation of shrublands.
- Restoration of wetland seeps within priority areas.
- Increase connectivity of habitat in core areas.
- Development of Candidate Conservation Agreements with Assurances.

Core Practices

- 643 Restoration and Management of Rare and
- Declining Habitats 644 Wetland Wildlife Habitat
- Management 645 Upland Wildlife Habitat
- Management
- 647 Early Successional Habitat Development and Management
- Supporting Practices 314 Brush Management
- 315 Herbaceous Weed Control
- 327 Conservation Cover
- 338 Prescribed Burning
- 340 Cover Crops
- 386 Field Borders 391 Riparian Forest Buffer
- 394 Firebreak
- 422 Hedge Row Planting
- 472 Access Control490 Tree Shrub Site Preparation528 Prescribed Grazing
- 560 Access Road
- 612 Tree/Shrub Establishment 655 Forest Harvest Trails and
- Landings 657 Wetland Restoration 666 Forest Stand Improvement

WLFW

Outcomes and Impacts

Habitat improvements will remove threats and assist with conservation of the species. This work may enable potential down-listing from endangered under Maine and New Hampshire law. In addition, 59 species of greatest conservation need in New England depend on early successional habitats will benefit from this effort.

Additional species benefiting in this focal area are: wild turkey, woodcock, deer, bass, trout, salmon, and black bear.





USDA OF NRCS United States Department of Agriculture Natural Resources Conservation Service



Southwestern Willow Flycatcher

Arizona, California, Colorado, Nevada, New Mexico, Utah

Listing Status: Endangered Focal Area Map

Background

The southwestern willow flycatcher (*Empidonax traillii extimus*) is a small Neotropical migratory bird that breeds in the arid southwestern United States. It has been federally listed as Endangered under the Endangered Species Act.

The flycatcher's current range is similar to its historic range; however, the amount of suitable habitat within the range is greatly reduced from historic levels. The flycatcher's distribution follows that of riparian habitat. It depends upon dense tree and shrub communities, associated rivers, and other wetlands, and has become increasingly isolated and widely dispersed as the result of surface water diversion, groundwater pumping, changes in flood and fire regimes, and the establishment of nonnative and invasive plants.

The flycatcher nests in native vegetation where available, but also nests in thickets dominated by the non-native invasive species like tamarisk and Russian olive. Efforts to control non-native species can be detrimental to willow flycatchers in mixed and exotic habitats, especially if control projects are implemented in the absence of suitable native riparian plant habitat of equal or higher functional value.

Working Lands for Wildlife will assist landowners to restore degraded riparian ecosystems and conserve existing healthy riparian systems. The program will focus on increasing and improving occupied, suitable, and potential breeding habitat, supporting southwestern willow flycatcher recovery.

Southwestern Willow Flycatcher



Resource Concern	Total Acres Needing Treatment
Plant Condition	TBD
Noxious and invasive plants	
Fish and Wildlife	TBD
Threatened and endangered species,	
declining species, species of concern	

Goals / Objectives

Working Lands for Wildlife will assist private landowners protect and restore breeding habitat, combating habitat losses due to surface water diversion and groundwater pumping, changes in flood and fire regimes, and establishment of non-native and invasive plants.

Southwestern Willow Flycatcher



Actions

- Protect, maintain, and restore riparian habitat. •
- Increase and improve occupied, suitable, and potential breeding habitat.
- Manage livestock grazing to increase habitat quality and quantity.
- Improve weed and invasive species management.
- Increase connectivity of existing and potential habitat. •
- Provide public education and outreach.

Core Practices

- 395 Stream Habitat Improvement and
- Management
- 643 Restoration and
- Management of Rare and Declining Habitats
- 644 Wetland Wildlife Habitat Management
- 645 Upland Wildlife Habitat Management
- 647 Early Successional Habitat Development and Management
- Supporting Practices 314 Brush Management 315 Herbaceous Weed Control
- 327 Conservation Cover
- 382 Fence
- 386 Field Borders
- 390 Riparian Herbaceous Buffer
- 391 Riparian Forest Buffer
- 472 Access Control
- 490 Tree Shrub Site Preparation
- 511 Forage Harvest Management
- 512 Forage and Biomass Plantings
- 516 Livestock Pipeline
- 528 Prescribed Grazing
- 561 Heavy Use Area Protection
- 575 Animal Trails and Walkways

- 578 Stream Crossing
- 580 Streambank and Shoreline
- Protection 582 Open Channel
- 584 Channel Bed Stabilization
- 587 Structure for Water Control
- 595 Integrated Pest
- Management
- 612 Tree/Shrub Establishment
 - 614 Watering Facility
 - 642 Water Well
 - 655 Forest Harvest Trails and
 - Landings
 - 657 Wetland Restoration 659 Wetland Enhancement
 - 666 Forest Stand Improvement

Outcomes and Impacts

Landowners will enhance, restore and protect habitat for southwestern willow flycatcher, aiding in the implementation of its recovery plan and increase landowner confidence that the conservation practices they implement will not harm the species or its habitat.

Additional species benefiting in this focal area are: wild turkey, deer, mourning dove, rabbit, bass, and trout.



WLFW

Danielle Flynn NRCS National Biologist (202) 690-0856 danielle.flynn@wdc.usda.gov

Bog Turtle

Steve Strano NRCS State Biologist, Maryland (443) 482-2928 steve.strano@md.usda.gov

Golden Winged Warbler

Casey Shrader NRCS State Biologist, West Virginia (304) 284-7581 casey.shrader@wv.usda.gov

Gopher Tortoise

Keith Wooster NRCS State Biologist, Georgia (706) 546-2309 keith.wooster@ga.usda.gov

Greater Sage-Grouse

Tim Griffiths Sage-Grouse Initiative Coordinator (406) 587-6812 tim.griffiths@mt.usda.gov

Lesser Prairie Chicken

Jon Ungerer Lesser Prairie Chicken Initiative Coordinator (785) 776-7582 jon.ungerer@ks.usda.gov

New England Cottontail

Don Keirstead NRCS State Biologist, New Hampshire (603) 868-7581 donald.keirstead@nh.usda.gov

Southwestern Willow Flycatcher

Stu Tuttle NRCS State Biologist, Arizona (602) 280-8777 stu.tuttle@az.usda.gov







Top to bottom: Golden-Winged Warbler, Bog Turtle, Greater Sage-Grouse



The U.S. Department of Agriculture (USDA) prohibits discrimination in all of its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex (including gender identity and expression), marital status, familial status, parental status, religion, sexual orientation, political beliefs, genetic information, reprisal, or because all or part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Assistant Secretary for Civil Rights, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, S.W., Stop 9410, Washington, DC 20250-9410. Or call toll-free at (866) 632-9922 (English) or (800) 845-6136 (Spanish Federal-relay). USDA is an equal opportunity provider and employer.