

# **HOME & LAND OWNERS**

URBAN | WILDLAND INTERFACE FIRE PROTECTION EQUIPMENT







IMPORTANT: Fighting fires should be performed by trained fire fighters only.

# **Intermountain Division**

Serving Colorado, Southern Idaho, Montana, Eastern Nevada, Utah and Wyoming

1635 Gramercy Road Salt Lake City, UT 84104

phone: 800-426-0509 fax: 801-487-1278 slcsales@Incurtis.com

### **Northwest Division**

Serving Alaska, Northern Idaho, Oregon and Washington **6507 South 208th Street** 

6507 South 208th Street Kent, WA 98032

phone: 800-426-6633 fax: 253-236-2997 nwsales@Incurtis.com

## **Pacific Division**

Serving California, Hawaii and Nevada

1800 Peralta Street Oakland, CA 94607

phone: 800-443-3556 fax: 510-839-5325 oaksales@Incurtis.com

### **Southwest Division**

Serving Arizona and New Mexico

4647 South 33rd Street Phoenix, AZ 85040

phone: 877-453-3911 fax: 602-453-3910 azsales@Incurtis.com



facebook.com/ToolsForHeroes



@ToolsForHeroes



# HOW TO PREPARE YOUR HOME FOR WILDFIRES WILDFIRE RISK REDUCTION STEPS THAT CAN MAKE YOUR HOME SAFER DURING A WILDFIRE

### VEGETATION MANAGEMENT

# 1. HOME IGNITION ZONES

Limiting the amount of flammable vegetation, choosing fire-resistant building materials and construction techniques, along with periodic exterior maintenance in the three home ignition zones - increases the chances your home will survive a wildfire when exposed to embers and/or a surface fire. The zones include the Immediate Zone: 0 to 5 feet around the house; Intermediate Zone: 5 to 30 feet; and the Extended Zone: 30 to 100 feet.

### 2. LANDSCAPING AND MAINTENANCE

To reduce ember ignitions and fire spread, trim branches that overhang the home, porch and deck and prune branches of large trees up to (depending on their height) 6 to 10 feet from the ground. Remove plants containing resins, oils and waxes and ensure mulches in the **Immediate Zone** (0 to 5 feet around the house) are non-combustible options like crushed stone and gravel. Maintain vegetation annually.

### FIRE RESISTIVE CONSTRUCTION

### 3. ROOFING AND VENTS

Class A fire-rated roofing products offer the best protection. Examples include: Composite shingles, metal, concrete and clay tiles. Inspect shingles or roof tiles and replace or repair those that are loose or missing to prevent ember penetration. Box-in eaves, but provide ventilation to prevent condensation and mildew. Roof and attic vents should be screened to prevent ember entry.

### 4. DECKS AND PORCHES

Never store flammable materials underneath decks or porches. Remove dead vegetation and debris from under decks/porches and between deck board joints.

### 5. SIDING AND WINDOWS

Embers can collect in small nooks and crannies and ignite of combustible materials; radiant heat from flames can crack windows. Use fire-resistant siding such as brick, fiber-cement, plaster or stucco and dual-pane tempered glass windows.

## 6. EMERGENCY RESPONDER ACCESS

Ensure your home and neighborhood has legible and clearly marked street names and numbers. Driveways should be at least 12 feet wide with a vertical clearance of 15 feet, for emergency vehicle access.

### BE PREPARED

Develop, discuss and practice an emergency action plan with everyone in your home. Include details for pets, large animals and livestock. Know two ways out of your neighborhood and have a pre-designated meeting place. Always evacuate if you feel it's unsafe to stay – don't wait to receive an emergency notification if you feel threatened from the fire.

Conduct an annual insurance policy check-up to adjust for local building costs, codes and new renovations. Create/update a home inventory to help settle claims faster.



## OTHER CONSIDERATIONS

- · Store firewood away from the home
- · Mow the lawn regularly
- Prune low-hanging tree branches
- · Landscape with fire-resistant plants
- Create small fuel breaks with hardscaping features

TALK TO YOUR LOCAL FORESTRY AGENCY OR FIRE DEPARTMENT TO LEARN MORE ABOUT THE SPECIFIC WILDFIRE RISK WHERE YOU LIVE.



VISIT FIREWISE.ORG FOR MORE DETAILS

Firewise\* is a program of the National Fire Protection Association. This publication was produced in cooperation with the USDA Forest Senice, US Department of the Interior and the National Association of State Foresters. NFPA is an equal opportunity provider. Firewise\* and Firewise USA\* are registered trademarks of the National Fire Protection Association, Quincy, MA 02169.

# HOME & LAND OWNERS URBAN | WILDLAND INTERFACE FIRE PROTECTION EQUIPMENT



# **DEFENSIBLE SPACE**



**CALL 911** 



The collection of product herein is designed to help the home and land owner in urban, wildland interface neighborhoods be prepared for wildfire. Are you ready? Does your home or land have the proper amount of defensible space created? Do you have the tools and resources available for firefighters to use to protect life and property during a wildfire?

# **CREATE YOUR DEFENSIBLE SPACE**



Create and maintain 100 feet of Defensible Space around your home.

### **HOME HARDENING**



Use fire-resistant building materials to protect your home from wildfires.

### PREVENT WILDFIRE



Learn how to properly use outdoor equipment, burn debris and more.

# **ARE YOU PREPARED**



Create a list of tasks inside and outside your home to prepare for a possible evacuation.

courtesv https://www.readvforwildfire.org/

Informative resources for urban wildland interface readiness programs:

### **U.S FOREST SERVICE**

https://www.fs.usda.gov/rmrs/ living-fire-how-social-scientists-arehelping-wildland-urban-interfacecommunities-reduce-wildfire

# NATIONAL FIRE PROTECTION ASSOCIATION

https://www.nfpa.org/Public-Education/Fire-causes-and-risks/ Wildfire/Preparing-homes-forwildfire

### **CAL FIRE**

https://www.readyforwildfire.org/

# COLORADO STATE FOREST SERVICE

https://csfs.colostate.edu/wildfiremitigation/protect-your-homeproperty-forest-from-wildfire/

# OREGON DEPARTMENT OF FORESTRY

https://www.oregon.gov/odf/fire/ pages/fireprevention.aspx

# WASHINGTON STATE DEPARTMENT OF NATURAL RESOURCES

https://www.dnr.wa.gov/programsand-services/wildfire-resources

# ARIZONA DEPARTMENT OF FORESTRY AND FIRE MANAGEMENT

https://dffm.az.gov/about

The information contained in this publication is intended for general information purposes only and is based on information available as of the initial date of publication. No representation is made that the information or references are complete or remain current.



# **HOME KITS** WILDLAND FIRE PROTECTION

Kits are assembled to provide what a homeowner may need to have on-hand for access by firefighters as they protect life and property from a wildfire.

# **HOMEOWNERS WILDFIRE DEFENSE SYSTEM**

Three Kit Options: Mount Kit #2 to an ATV or truck for a mobile solution to protect larger areas of land.

Item #	Description
KIT#1	
HT-PFP-6HPHND-M-TW	CET Goliath Honda Powered Pump, includes:
	10' x 1.5" suction hose; 100' x 1.5" discharge hose;
	1.5" combination fog/straight stream nozzle;
	1.5" strainer with check valve; bag for accessories
KIT #2	
WB20XT4A	Honda 2" General Purpose Water Pump, 44 lbs.
1575N UFS	United Fire 1-1/2" Combination Fog Nozzle
HSH-15NHRL-10 HAR	Harrington Flex-Lite PVC 1.5" Suction Hose
4104E FLO	Flomatic 60SE Foot Valve with Strainer, 1.5"
3715N15T	Red Head Brass Style 37 Adapter Rocker Lug Fem x Male
187II15X100YFN NAFH	North American Fire Hose 100' x 1.5" Forestry Hose
KIT #3	
83736 WATEROUS	Floto Pump (see page 4 for description)
1575N UFS	United Fire 1-1/2" Combination Fog Nozzle
187II15X100YFN NAFH	North American Fire Hose 100' x 1.5" Forestry Hose

Class A Foam Systems can be added as an option

### **KIT #1**

HT-PFP-6HPHND-M-TW CET Honda Powered Portable Pump (see page 4 for further description)









1575N UFS 1-1/2" Combination Fog Nozzle

187II15X100YFN NAFF 187 Type II Forestry Hose













Description

83736 WATEROUS FLOTO PUMP (see page 4 for further description)







187II15X100YFN NAFH 187 Type II Forestry Hose

# **HOME | RANCH WILDFIRE DEFENSE SYSTEM**

To defend home, outbuildings, and land from wildfire.

# Three Kit Options:

Mount Kit #2 to an ATV or truck for a mobile solution to protect larger areas of land.

KIT #1 (same as KIT #2 above; replace 1575N Nozzle with F2095 Nozzle, add hose length)		
F2095 TFT Twister Tip Nozzle 20/95 GPM (tip only version)		
187II15X100YFN NAFH	North American Fire Hose 100' x 1.5" Forestry Hose (2 Lengths)	
KIT #2		
WATERAX RANCHER	Pump, water tank and reel mounted on skid unit for addition to ATV or truck	
LBH-600 NAFH	North American Fire Hose 100' x 1" lightweight booster hose, 1"	

TFT Twister Nozzle 1" Combination Nozzle

KIT #3 - same as KIT #3 above. Add hose length if needed.

Class A Foam Systems can be added as an option

# **KIT #2 KIT #1** (see product above for KIT #2, replace 1575N Nozzle with F2095 Nozzle) F2095 TFT WATERAX RANCHER Water Pump (see page 4 for further description) LBH-600 NAFH Booster Hose

# HOMEOWNER | CONDOMINIUM ASSOCIATION **WILDFIRE DEFENSE SYSTEM** Four Kit Options

### **KIT #1**

Same as Homeowners Wildfire Defense System Kit #1 (see first section above)

### KIT #2

Item#

D1040 TFT

Same as Home | Ranch Wildfire Defense System Kit #1 (see section directly above)

# **KIT #3**

Same as Home | Ranch Wildfire Defense System Kit #2 (see section directly above) Add 1 extra Booster Hose length, and 1 additional D1040 Nozzle for an additional water flow line



### **KIT #4**

Same as Homeowners Wildfire Defense KIT #3 (add hose length if needed)

### **DRY HYDRANT KIT**

Some communities without a residential fire hydrant may have a "dry hydrant" installed in a lake or pond. This kit will help firefighters access and use the water source.

Item #	Description
133	Dry Hydrant Underwater Strainer, PVC with brass clappered end cap
134	Dry Hydrant Underwater Strainer Supports, bronze
132-CS	Dry Hydrant Swivel, PVC
132	Dry Hydrant Male Adapter, PVC
131	Dry Hydrant Cap, stainless steel
132-F	Dry Hydrant Long Handle Swivel Female Adapter, PVC
130	Dry Hydrant Plug, stainless steel



















132 Male Adapter

132-F Female Long Handle Adapter

# **COLLAPSIBLE TANKS**

Collapsible tanks, as well as pools, ponds and streams on your property are excellent resources to draft water from utilizing pumps, drafting hose, and floating strainers.

# **Husky Collapsible Aluminum Folding Frame Water Tank**

It is incredibly easy to set up a Husky® Folding Water Tank and you can quickly fold a tank up, store it and transport it, especially with the Easy Lift Handles and Quick-Release Drain Tube.

- Easy setup. No assembly, just unfold and go.
- Multiple sizes and colors
- No framework means less weight with the same capacity and allows for easier storage
- Collapsible Tanks range from 68 to 215 lbs.
- Self-rising side walls
- Great for oil spill clean up, chemical or fuel storage, potable or wastewater storage
- Chemical & fuel resistant materials. Potable NSF 61 approved materials.
- **EXLON or Vinyl Liners**
- Easy Lift Handles
- Unique Flotation Collar

For drafting water, add suction hose and floating strainer:



Suction Hose see page 6



# **Husky Self-Supporting Portable Water Tank**

Husky Self-Supporting Water Tanks are the perfect solution when storage and manpower are a concern. One man set-up frees up personnel, and because these tanks are frameless, there is no assembly required and they are easy to transport and store.

- No framework means less weight with the same capacity and allows for easier storage
- Self-Supporting Tanks range from 27 to 499 lbs.
- Multiple sizes and colors
- Self-rising side walls
- Great for oil spill clean up, chemical or fuel storage, potable or wastewater storage
- Chemical & fuel resistant materials. Potable NSF 61 approved materials.
- The ultimate portable firefighting tank
- **EXLON or Vinyl Liners**
- Easy Lift Handles
- Unique Flotation Collar



**IMPORTANT:** Fighting fires should be performed by trained fire fighters only.



# **PUMPS**

# HONDA

Honda's complete pump line-up is designed to move liquids quickly, safely, quietly, and easily. Gas-powered Honda pumps are driven by Honda GX Series commercial-grade engines. Legendary for quick starts and rock-solid reliability, these quiet, four-stroke engines deliver impressive performance and fuel efficiency. Teamed with Honda's innovative designs, exclusive features and rugged durability, they create pumps that keep every job flowing smoothly.





WX10TA HONDA 1" General Purpose Pump
32 gal./min. capacity, Weighs 13 lbs.



WX15TA HONDA 1-1/2" General Purpose Pump 74 gal./min. capacity, Weighs 20 lbs.



WB20XT4A HONDA 2" General Purpose Pump 164 gal./min. capacity, Weighs 44 lbs.



WB30XT3A HONDA 13" General Purpose Pump 290 gal./min. capacity, Weighs 57 lbs.



WH15XT2A HONDA 1-1/2" High Pressure Pump 57 psi max., 98 gal./min. capacity Weighs 49 lbs.



WH20XTAF HONDA 1.2" High Pressure Pump 64 psi max., 119 gal./min. capacity Weighs 60 lbs.

# **Hose Kits for Honda Pumps**

Item #	Size	Connection
124015H-1148-WHKT HONDA	1.5" Hose Kit	WH15 Pump
124020H-1148-WHKT HONDA	2" Hose Kit	WH20 Pump
124015-1148-PINKT HONDA	1.5" Hose Kit	Pin Lug
124020-1148-PINKT HONDA	2" Hose Kit	Pin Lug

Item #	Size	Connection
124030-1148-PINKT HONDA	3" Hose Kit	Pin Lug
124015-1148-CLKT HONDA	1.5" Hose Kit	Camlock
124020-1148-CLKT HONDA	2" Hose Kit	Camlock
124030-1148-CLKT HONDA	3" Hose Kit	Camlock



**WARNING:** This product can expose you to chemicals including soots, tars, and mineral oils, which are known to the State of California to cause cancer, and carbon monoxide, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



The WATERAX VERSAX 6 HP and VERSAX 9 HP are versatile, rugged, and economical twin impeller self-priming pumps. These units are driven by 6 HP-GX200 and 9 HP-GX270 Honda engines. They produce maximum pressures of 120 PSI (8.3 BAR) and 150 PSI (10.3 BAR). They also produce flow rates of up to 105 US GPM (397 L/min). Their compact design makes them ideal for a variety of applications such as firefighting, tank filling and water transfers. Weight: 56 lbs.

 2x Cap 1" NPSH & Cap 1-1/2" NPSH

■ Hose Kit: Pistol Grip & Nozzle 50-100GPM 1.5X100' Forestry Hose, 1.5X16 Suction, Footvalve, Adapters

### The RANCHER®,

featuring a Hannay Hose Reel, is a compact and lightweight unit designed for use on ATVs and small utility vehicles. Commonly used in wildland urban interface areas to



rapidly access remote areas beyond the reach of standard skid units, and also for general farm and rural community work. It is easy to operate and maintain and can effortlessly slide on and off a vehicle as needed.

- Caps, nozzles, hoses extra to customize to the need
- Refer to pages 5 thru 8 for available options



# **Econo Pac Quick Delivery Skid** Unit A tank, a live hose reel and/or crosslay, a portable fire pump and/or a compressed air




foam system (CAFS), with an engine: these can be combined into a single one-piece assembly that can be slipped onto a truck bed, trailer, or into a body and used for flowing water and or foam on a structural fire, car fire or wildfire. Includes:

- 65 gallon water tank
- Manual rewind hose reel
   1.5" inlet with cap and chain
- Forestry nozzle

- 1" valve for hose reel
- 1" valve for tank fill / recirculating

• 50' x 3/4" booster hose • 1.5" outlet with cap and chain • 3/4" polypropylene platform with under lifting area

TW CET



- GX200 Honda air cooled engine
- Single cylinder, 4-stroke gasoline engine
- Manual recoil start
- 0.8 gallon integrated fuel tank
- Low oil shut off
- 1.5" cam-lock x 10' suction hose
- 1.5" cam-lock x 100' discharge hose
- 1.5" fog/straight stream nozzle
- 1.5" strainer with check valve
- Removable bag for accessories



# Floto Pump was

developed to meet the rugged demands of the **United States Forest** 

Service. Now, it is also used for marine service, dewatering, pool maintenance, environmental clean-up and irrigation. Floto Pumps are available in two models, Standard and Forestry. Both are powered by a U.S. Motor Power "Power Bee" engine. Weight: 42 lbs.



Fyr Flote is a lightweight, portable centrifugal pump mounted on an unsinkable, highstrength polyethylene float with dual carrying handles and a splash suppression collar. A

High-Volume Model 20FV-C8 and a High-Pressure Model 20FP-C8 meet most every pump need — in as little as four inches of water. Weighing just 49 pounds, the Fyr Flote stores easily. It includes an automatic recoil starter, a spark arresting muffler, and an engine overspeed control switch.





# **GENERATORS**







- ■2200 watt 120V inverter generator
- Super quiet
- Lightweight, less than 47 lbs.
- Fuel efficient, up to 8.1 hrs on 0.95 gal. of gas
- Inverter, stable for computers




WARNING: This product can expose you to chemicals including soots, tars, and mineral oils, which are known to the State of California to cause cancer, and carbon monoxide, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Honda Generators can assist in providing emergency power to water supply pumps, providing water to homes, sprinkler systems and water storage tanks for fire protection. Honda Generators provide a reliable power source in emergency situations.

- 7000 watt 120/240V inverter generator
- Super quiet
- Fuel efficient, up to 18 hrs on 5.1 gal. of fuel
- Inverter stable power for computers
- Electric start (battery included) with recoil back-up





- Provides 7,000 watts for 10 sec. to start larger equipment
- Power uses include well pumps
- Long run time, up to 11.2 hrs.
- Electric start (battery included) with recoil back-up

# **NOZZLES**



Twister Series Simple and effective selectable, dual gallonage, combination nozzle available in \(\frac{4}{7}\) (19mm), 1" (25mm) and 1.5" (38mm) threads and is designed for simplicity and durability. The rubber bumper provides a positive grip and protects the front end. Twisting the shaper from the off position produces the following settings: low flow straight stream, low flow narrow fog, high flow straight stream, and high flow fog.



Twist shutoff dual gallonage nozzle for 1" hose lines



Bail handle for added nozzle control for 1" hose lines

DS1040 TFT



Twist gallonage nozzle for larger higher gallonage 1.5 hose lines



Bail handle for added nozzle control for larger higher gallonage 1.5" hose lines

# D1040 TWISTER TIP 1"

Item #	Description
D1040 TFT	Twister Tip 1" NH connection (flow settings: 10 and 40 gpm)
D1040ID TFT	Twister Tip 1" NPSH connection (flow settings: 10 and 40 gpm)
D1024 TFT	Twister Tip 1" NH connection (flow settings: 10 and 24 gpm)
D1024ID TFT	Twister Tip 1" NPSH connection (flow settings: 10 and 24 gpm)

# **F2095 TWISTER TIP 1.5"**

Item #	Description
F2095 TFT	Twister Tip 1.5" NH connection (flow settings: 20 and 95 gpm)
F2095IF TFT	Twister Tip 1.5" NPSH connection (flow settings: 20 and 95 gpm)
F2060 TFT	Twister Tip 1.5" NH connection (flow settings: 20 and 60 gpm)
F2060IF TFT	Twister Tip 1.5" NPSH connection (flow settings: 20 and 60 gpm)

# **DS1040 TWISTER NOZZLE 1"**

FS2095 TWISTER NOZZLE 1.5"

Description

Item#

FS2095 TFT

FS2095IF TFT

FS2060IF TFT

FS2060 TFT

Item #	Description
DS1040 TFT	Twister Nozzle 1" NH connection (flow settings: 10 and 40 gpm)
DS1040ID TFT	Twister Nozzle 1" NPSH connection (flow settings: 10 and 40 gpm)
DS1024 TFT	Twister Nozzle 1" NH connection (flow settings: 10 and 24 gpm)
DS1024ID TFT	Twister Nozzle 1" NPSH connection (flow settings: 10 and 24 gpm)

# **DUAL RANGE NOZZLES**







Item #	Description
NZ-DR-1NH SH PROD	1" NH connection 10-30 gpm
NZ-DR60-15NH SH PROD	1.5" NH connection 20-60 gpm
NZ-DR90-15NH SH PROD	1.5" NH connection 20-90 gpm
NZ-DR-1NP SH PROD	1" NPSH connection 10-30 gpm
NZ-DR60-15NP SH PROD	1.5" NPSH connection 20-60 gpm
NZ-DR90-15NP SH PROD	1.5" NPSH connection 20-90 gpm

IMPORTANT: Fighting fires should be performed by trained fire fighters only.

Tools for Heroes®

# **COMBINATION FOG NOZZLES**

Twister Nozzle 1.5" NH connection (flow settings: 20 and 95 gpm)

Twister Nozzle 1.5" NH connection (flow settings: 20 and 60 gpm) Twister Nozzle 1.5" NPSH connection (flow settings: 20 and 60 gpm)

Twister Nozzle 1.5" NPSH connection (flow settings: 20 and 95 gpm)

United Fire Combination Nozzles are constructed of polycarbonate and precisely molded from the latest developments in the industry.





1030 UFS, 1"

Item #	Description
1575N UFS	1.5" NH connection
1575P UFS	1.5" NPSH connection
1030G UFS	3/4" GHT connection
1030N UFS	1" NH connection
1030P UFS	1" NPSH connection

# **MOP-UP NOZZLE**



Adjustable mop-up nozzle, 3/4" GHT connection AAPN75GHT DIXON

WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov



Strong and durable while being lightweight and compact



### Polyurethane (TPU) Lining **Polyester Single Jacket**

- Poly-Cord<sup>™</sup> ring-spun polyester warp yarns are combined with filament polyester filler yarns
- Fabric construction features a very fine twill weave for improved abrasion and snagging resistance
- High visibility yellow Ultra-Shield™ polymeric coating for improved abrasion resistance and reducing moisture and chemical absorption
- Strong and durable, yet lightweight, Dura-Thane™ polyurethane inner lining
- Immune to the effects of mildew and rot, requiring less maintenance after
- Weight per 100' uncoupled: 1" = 10 lbs.; 1.5" = 14 lbs.

Extra durability and increased water flow with rubber lining



### **EPDM Rubber Lining Polyester Single Jacket**

- Same features as the OUTBACK 600,
  - » The EPDM rubber lining is unaffected by Ozone deterioration, and is one component in the Friction Fighter System<sup>™</sup>, creating an extremely smooth waterway surface, thereby reducing friction loss and improving nozzle performance
  - » The Dura-Bond™ vulcanized fusing system, which creates both a mechanical and chemical permanent bond between the EPDM lining and the jacket to eliminate the possibility of delamination. Other fire hose manufacturers that use adhesives to glue the lining to the inner jacket in rubber-lined construction can cause delamination issues.
- Weight per 100' uncoupled: 1" = 12 lbs.; 1.5" = 17 lbs.

# **HOSE**

Strong and durable, meets U.S. Forest Service Standard 5100-187 (Type II)

# NAFH-187™ TYPE II

# **Polyurethane (TPU) Lining Polyester Single Jacket**

- Poly-Cord<sup>™</sup> ring-spun polyester warp yarns are combined with filament polyester filler yarns
- Fabric construction features a very fine twill weave for improved abrasion and snagging resistance
- High visibility yellow Ultra-Shield™ polymeric coating for improved abrasion resistance and reducing moisture and chemical absorption
- Strong and durable, yet lightweight, Dura-Thane™ polyurethane inner lining
- Meets all requirements of the U.S. Forest Service Standard 5100-187 for Type II construction
- Immune to the effects of mildew and rot, requiring less maintenance after use
- Weight per 100' uncoupled: 1" = 10 lbs.; 1.5" = 14 lbs.

Economical and durable, meets U.S. Forest Service Standard 5100-187 (Type I)

NAFH-187™ TYPE I

# Polyurethane (TPU) Lining Filament Polyester Single Jacket

- Synthetic filament polyester warp and filler yarns are unaffected by the effects of mildew and rot, requiring less maintenance after use
- Weight per 100' uncoupled: 1" = 9.5 lbs.;
- Strong and durable, yet lightweight, Dura-Thane™ polyurethane inner lining
- Meets all requirements of the U.S. Forest Service Standard 5100-187 for Type I construction

	1.5" = 14 lbs.	
Outback-600	Description	
OB1X50YFN	1" x 50' Coupled 1" NH, Yellow, Ultra-Shield Coated	
OB1X100YFN	1" x 100' Coupled 1" NH, Yellow, Ultra-Shield Coated	

OB15X100YFN	1.5" x 100' Coupled 1.5" NH, Yellow, Ultra-Shield Coated
OB15X50YFN	1.5" x 50' Coupled 1.5" NH, Yellow, Ultra-Shield Coated
OB1X100YFN	1" x 100' Coupled 1" NH, Yellow, Ultra-Shield Coated
OB1X50YFN	1" x 50' Coupled 1" NH, Yellow, Ultra-Shield Coated

### Outback-600 HD

	OBH1X50YFN	1" x 50' Coupled 1" NH, Yellow, Ultra-Shield Coated
	OBH1X100YFN	1" x 100' Coupled 1" NH, Yellow, Ultra-Shield Coated
	OBH15X50YFN	1.5" x 50' Coupled 1.5" NH, Yellow, Ultra-Shield Coated
	OBH15X100YFN	1.5" x 100' Coupled 1.5" NH, Yellow, Ultra-Shield Coated

### NAFH-187 Type I Description

NAFH-187 Type II	
18715X100PFN	1.5" x 100' Coupled 1.5" NH, Plain White
18715X50PFN	1.5" x 50' Coupled 1.5" NH, Plain White
1871X100PFN	1" x 100' Coupled 1" NH, Plain White
1871X50PFN	1" x 50' Coupled 1" NH, Plain White

187II1X50YFN	1" x 50' Coupled 1" NH, Yellow, Ultra-Shield Coated
187II1X100YFN	1" x 100' Coupled 1" NH, Yellow, Ultra-Shield Coated
187II15X50YFN	1.5" x 50' Coupled 1.5" NH, Yellow, Ultra-Shield Coated
187II15X100YFN	1.5" x 100' Coupled 1.5" NH. Yellow, Ultra-Shield Coated

Hoses also available with NPSH threads. Hoses and couplings are Made in the USA.



	The state of the s
Item #	Description
8F15X100Y15N	8F Forestry Hose 187 Type II, Synthetic Single Jacket,
	1.5" x 100' Coupled 1.5" NH, Yellow, Dura-Cote Treatment, Polyurethane Liner
FH58WB	Quick Draw, Single Jacket, 5/8" x 50' Coupled 3/4" GHT Brass, White

- Snap-tite 8F hose weight per 50' coupled: 1.5" = 7 lbs.
- FIREQUIP FH58WB hose weight per 50' uncoupled: 5/8" = 1.7 lbs.

### **SUCTION HOSE**

Use suction hose to draw water from a portable tank, pool, or other static water source to supply the fire pump with water to fight fire.

- Multiple thread options available
- Hose diameters range from 1-1/2" to 6" diameters
- Standard in ten foot lengths
- Custom lengths of 15' and 20' are available



# **VALVES, STRAINERS,** ADAPTERS, WRENCHES, **HOSE CLAMPS**

# **VALVES & WYES**













Ball Valves, Wyes and Tees are designed to allow you the ability to:

- Direct water to the area on your property where needed quickly and easily
- Open and shut down hose lines
- Add hose to existing hose lines without shutting down water supply

Item #	Description
F100F	1.5NH x 1.5NH Ball Valve
ATNF-ID	1.5NH x 1.5NH x 1NPSH Tee Valve
AYNJ-NF	2.5NH x (2)1.5NH Gated Wye
D75D	1NH x 1NH Ball Valve with .75" Waterway
D75D-ID	1NPSH x 1NPSH Ball Valve with .75" Waterway
D100D	1NH x 1NH Ball Valve with 1" Waterway
D100D-ID	1NPSH x 1NPSH Ball Valve with 1" Waterway
WV15NH	1.5NH x (2)1.5NH Gated Wye
WV2515	2.5NH x (2)1.5NH Gated Wye
TV-15NH-1NP	1.5NH x 1.5NH x 1NPSH Tee Valve
TV-15NH-1NH	1.5NH x 1.5NH x 1NH Tee Valve
SOV-SW-15NH	1.5NH x 1.5NH Ball Valve
W222M	Straight Hose Shut-Off, 3/4" GHT x 3/4" GHT hose valve, zind
W321	3/4" GHT, 2-way valve, plastic
W321M	3/4" GHT, 2-way valve, zinc
410	Foot Valve Strainer, 60SE (NPT* in 1", 1.5", 2", 2.5", 3", & 4"
250288	WATERAX Foot Valve Strainer, 1.5" NPSH
250151	WATERAX Foot Valve Strainer, 2" NPSH

 $<sup>^{\</sup>ast}$  Adapter sold separately for NH or NPSH thread connection.







TV-15NH-1NP TV-15NH-1NH



WV15NH



W321M





W222M





IMPORTANT: Fighting fires should be performed by trained fire fighters only.

# **FOOT VALVE STRAINERS**

Foot Valve Strainers are designed and recommended to keep debris/foreign objects out of your water supply and prevent loss of prime to your water pump while drafting from your water resource.





WARNING: This product can expose you to chemicals including Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

# **STRAINERS**

Use these strainers to protect your pumps from debris when drafting from ponds and lakes.

Item #	Description
A02NJ TFT	Jumbo Barrel Strainer, 2.5" NH Black
A06NJ TFT	Floating Barrel Strainer, 2.5" NH Black
A06NJ-YTFT	Floating Barrel Strainer, 2.5" NH Yellow
BS25-P09 KOCHEK	Barrel Strainer, 2.5" NH
RH15 C&S	Round Hole Strainer, 1.5" NH
CS703 C&S	Suction Strainer, 2.5" NH









Multiple fittings for multiple needs:

- Female x Male
- Double Swiveling Females
- Double Male Nipples

# **ADAPTERS**

Use these adapters to connect various thread types and sizes to hoses and pumps.

# **RED HEAD BRASS MODEL 37 FEMALE X MALE ADAPTER**

To connect Honda Pumps (NPT thread) to NH or NPSH threads for Fire Hose



Item #	Description
3715T10N	1.5" NPT to 1" NH
3715T15N	1.5" NPT to 1.5" NH
3715T15P	1.5" NPT to 1.5" NPSH
3720T15N	2" NPT to 1.5" NH
3720T25N	2" NPT to 2.5" NH
3730T15N	3" NPT to 1.5" NH
3730T25N	3" NPT to 2.5" NH

# WRENCHES Uses: spanner wrench, hydrant wrench, gas shutoffs, O<sup>2</sup> shutoffs, and more.

Item #	Description
SPAN1 TFT	TFT Res-Q-Wrench (combo seat belt cutter/window punch)
101 RH	Red Head Brass 101 Spanner Wrench
4579-YF SCOTTY	Scotty Fire Super Spanner Hydrant Wrench
107 RH	Red Head Brass 107 Hydrant Wrench (standard length)



These popular hose clamps are used to clamp off the flow of water in one quick step without damaging the hose or losing water supply when adding, removing or replacing hose sections or changing nozzles.

# **HOSE CLAMPS**





Item #	Description
FF1S TIMBERLINE	Timberline Tool Hose Clamp 12"L x 4"W
HC1510	C & S Supply Forestry Hose Clamp for 1" & 1.5" Hose
HC-15 SH PROD	S & H Forestry Hose Clamp for 1" & 1.5" Hose



# **FOAM** CLASS A CONCENTRATE

Class A Foam is specially formulated to make water more effective for firefighting. The surfactants in Class A foam significantly reduce water's surface tension and, when mixed with air, create a superior foam blanket that surrounds fuels with a thick layer of water.



20001 SOLBERG

# **Ansul SILV-EX Plus Class A Firefighting Foam**

- 434467 ANSUL: 5-gallon pail
- 434469 ANSUL: 55-gallon drum
- 434471 ANSUL: 265-gallon tote

### **Phos-Chek WD881 Class A Foam Concentrate**

- WD881-4-36 PHOS-CHEK: 36 each 4 oz. bottles
- WD881-5 PHOS-CHEK: 5-gallon pail
- WD881-55 PHOS-CHEK: 55-gallon drum
- WD881-260 PHOS-CHEK: 260-gallon tote

# Solberg FIRE-BRAKE Class A **Foam Concentrate**

- 20001 SOLBERG: 5-gallon pail
- 20002 SOLBERG: 55-gallon drum
- 20003 SOLBERG: 265-gallon tote

# **FOAM CARTRIDGES**

### C & S Supply Home Defense Fire Kit

This Home Defense Kit fits garden hoses. It is built using rugged anodized aluminum - no cheap plastic parts. The same products the forest service uses.



SB-FGP-75-HD C&S SUPPLY

- Professional shutoff valve
- Professional foam proportioner
- Professional fire nozzle
- Two 12" sticks of Class A Foam - Each foam stick can treat up to 400 gallons of water

### **Phos-Chek Class A Foam Cartridges**

One 12" foam cartridge can produce approximately 400 gallons of foam solution.



- FCA-02 PHOS-CHEK: 2-pack of 12 in. length
- 4010CART6PC PHOS-CHEK: 3-pack of 6 in. length
- 4010CART12PC PHOS-CHEK: 3-pack of 12 in. length
- FCA-24 PHOS-CHEK: 24-pack of 12 in. length

# **C & S Supply Foam Gun Proportioner** for 6" Sticks

For 6" or smaller hard cartridge foam sticks (1/2 FCA stick). Comes with 2 Class "A" 12" foam cartridges.

- FGP6-1 NST C&S SUPPLY: 1" NH
- FGP6-1 NPSH C&S SUPPLY: 1" NPSH
- FGP6-15 NST C&S SUPPLY: 1.5" NH
- FGP6-15 NPSH C&S SUPPLY: 1.5" NPSH

# **C & S Supply Foam Gun Proportioner** for 12" Sticks

For 12" or smaller hard cartridge foam sticks. Comes with 2 Class "A" 12" foam cartridges.

- FGP12-1 NST C&S SUPPLY: 1" NH
- FGP12-1 NPSH C&S SUPPLY: 1" NPSH
- FGP12-15 NST C&S SUPPLY: 1.5" NH
- FGP12-15 NPSH C&S SUPPLY: 1.5" NPSH





FGP6-1 NPSH Foam Gun Proportioner for 12" sticks Proportioner for 6" sticks



# **Scotty FOAM-FAST<sup>™</sup> Foam Systems**

- Simple and effective method of deploying Foam-Fast™ wetting agent onto a fire scene.
- To operate, open the inlet side of the mixing chamber, insert a Foam-Fast™ cartridge, reseal the inlet end cap, attach to a supply hose and spray Class A foam.
- The foam cartridge will dilute into the water flow and emerge through the Air Aspirating Nozzle.
- Foam-Fast™ cartridges are produced by Perimeter Solutions, makers of Phos-Chek® Foam.
- Available in multiple flow rates for ¾" GHT and 1 ½" NHT, NPSH or BSP threaded hose lines.
- A 4010-MINI will convert a Scotty 4000 Water Hand Pump into a foam generator. Comes with an air aspirating Nozzle and uses long cartridges.





- 4010-3: Includes mixer, shut off and 3 GPM nozzle, uses 6" cartridges 3/4" GHT
- 4010-15: Includes mixer, pistol grip ball shut off and 15 GPM nozzle, uses 12" cartridges - 1 1/2" NHT, NPSH or BSP
- 4010-30: Includes mixer, pistol grip ball shut off and 30 GPM nozzle, uses 12" cartridges - 1 1/2" NHT, NPSH or BSP
- 4010-50: Includes mixer, pistol grip ball shut off and 50 GPM nozzle, uses 12" cartridges - 1 1/2" NHT, NPSH or BSP
- 4010-MINI: Includes Mixing unit for Scotty 4000 Water Hand Pump, includes 3 GPM foam nozzle, uses 3" cartridges - 3/4" GHT

# FOAM APPLICATORS



# **TFT PRO/pak Portable Foam System**

The ideal choice for rapid vapor suppression with any Class A, AFFF or Alcohol Resistant foam concentrate. Everything you need is contained in one package that attaches to the end of your 1" (25 mm) or 1.5" (38 mm) fire

- Empty weight = 14 lbs.
- Full weight with 2.5 gallons of water = 20.86 lbs.

Item #	Description
UM12	1" Coupling, NH Thread
UM12-ID	1" Coupling, NPSH Thread
UM12-NF	1.5" Angled Coupling, NH Thread
UM12-IF	1.5" Angled Coupling, NPSH Thread



### **Scotty Foam Applicator Kit**

The Scotty Foam Applicator Kit is designed as an end-of-the-line hose attachment. The kit provides fast and easy delivery of Class A or Class B (AFFF) Foams.

- Empty weight = 5.5 lbs.
- Full weight with 1.3 gallons of water = 10.85 lbs.



	FJ-MX-E
Item #	Description
FJ-MX-F	TFT Foam Attachment for 1.5" Twister Nozzle (page 5)
FJ-MX-D	TFT Foam Attachment for 1" Twister Nozzle (page 5)
MDAA-BLUE	Mad Dog Foam Nozzle Attachment, Blue
MDAA-YELLOW	Mad Dog Foam Nozzle Attachment, Safety Yellow

Foam Attachments Use these durable, simple to use foam attachments to provide a thick, long lasting foam blanket.







MDAA-BLUE

FJ-MX-F

MDAA-YELLOW



# FIRE EXTINGUISHERS

IMPORTANT: Fighting fires should be performed by trained fire fighters only.

# PORTABLE BACKPACK PUMPS

190514 Smokechaser Pro 5-Gallon Fire Pump by Indian

Designed to offer the most comfort in the most grueling conditions of fire control. Equipped with the all-brass Fedco pump that is approved by the US Forest Service, the Smokechaser Pro also features a heavy-duty, flexible bladder that forms to the user's back when filled and is protected within a durable nylon bag.

 $\wedge$ 

WARNING: This product can expose you to chemicals including Lead and Phthalates, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov











Item #	Description
190514	Indian Fire Pumps SP500 Smokechaser Pro (5 gal.)
1790141	Indian Fire Pumps 90G Galvanized Steel (5 gal.)
179061V	Indian Fire Pumps FSV500 Smokechaser Fedco Collapsible, Vinyl (5 gal.)
190351	Indian Fire Pumps DBL500 Collapsible Bag Fire Pump,
	Vinyl Inner & Nylon Outer (5 gal.)
250221	WATERAX OT-4NX Portable Backpack Handpump



WARNING: This product can expose you to chemicals including Lead and Phthalates, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



WARNING: This product can expose you to chemicals including Lead and Phthalates, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

# HAND-HELD EXTINGUISHERS

### Amerex Model 250 AFFF ATC FOAM, Class A-B

The Amerex Model 250 (2.5 gallon) and Model 254 (1.58 gallon) hand-held water fire extinguishers provide an effective portable fire extinguisher with air aspirating nozzle for application on both Class A\* and Class B\*\* fires.

This model contains

This model contains model alcohol resistant fire fighting agent.
Apply to a non-ignited Class B liquid spill and it will seal the surface minimizing the chance of serious fire.

Firefighting foams can be added (example at right).



# Amerex Model 240 Water Extinguisher, Class A

The Amerex Model 240 is a hand-held portable 2.5 gallon water extinguisher for Class A\* fires. The Model 240 utilizes the cooling, soaking and penetrating effect of a 45-55 ft. stream of water. The 55 seconds discharge time makes it very effective for inexperienced operators for use on Class A fires. Exclusive crevice-free, butt-welded cylinders; temperature range from 40° F to 120° F; leaves no powder residue.



# WD881-4 Phos-Chek Class A Foam, 4 oz. Bottle

Phos-Chek WD881 Class A foam can be used in these hand-held portable extinguishers. The foam can be more effective than water to extinguish a Class  $\mathsf{A}^*$  fire in some cases.

WD881-4

\*Class A fires are fires in ordinary combustibles such as wood, paper, cloth, rubber, and many plastics.

\*\*Class B fires are fires in flammable liquids such as gasoline, petroleum greases, tars, oils, oil-based paints, solvents, alcohols. Class B fires also include flammable gases such as propane and butane. Class B fires do not include fires involving cooking oils and grease.



# 



- Forged steel head
- Made in USA
- Hand sharpened, single bit edge and mattock blade
- Body coated with red enamel and the cutting edges in clear lacquer to deter rust
- 36" double bit American hickory handle. Eye section is dried to below 10% moisture content to minimize shrinkage and help prevent loosening.
- Axe head is hydraulically seated onto handle and secured with a serrated aluminum wedge. The serrated shape improves bite and the aluminum choice of material is strong, lightweight and does not change size with moisture content.

# Ames True Temper 45519 AMES Razor-Back Round Point Shovel Wood Handle



The Razor-Back round point shovel is tough enough to dig in the hardest, rockiest soil. It features a heavy duty, open back, industrial gauge, steel blade. Blade comes with a rolled shoulder step. The open-back blade fits the premium 48-inch North American hardwood handle for strength.

- 48" North American Hardwood Handle for strength and durability
- Dual Rivet Extended Tab Socket for added strength
- Rolled-Step helps prevent material build-up

# **HAND TOOLS**



# Council Tool MT48 FSS COUNCIL McLeod Tool with 48" Wood Handle

Combination of a rake and a hoe used primarily for clearing brush and other surface debris and for digging in the soil to construct fire control lines on wildfires and controlled burns.

- Made in USA
- High carbon steel blade, formed and sharpened for digging and clawing
- Heat Treated for toughness and wear resistance
- Black enamel finish for rust resistance
- Enhanced ferrule joint for strength and durability
- 48" American ash handle is strong and durable



# Council Tool CT42 FSS COUNCIL Combination Shovel Tool with 42" Wood Handle

Combination pick and shovel tool with a 42" handle.

- Made in USA
- Wildland firefighting tool with multiple working positions
- Shovel blade and pick are made from tough, durable tool steels
- Component parts are fully heat treated for maximum toughness and wear



**WARNING:** This product can expose you to chemicals including Nickel (metallic), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



# **PPE** PERSONAL PROTECTIVE EQUIPMENT

IMPORTANT: Fighting fires should be performed by trained fire fighters only.

# **CLOTHING**



WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov

# NFPA 1977 and CAL-OSHA compliant

The Premier line represents a leap forward in wildland firefighting clothing by combining safety with comfort in a complete and versatile package. The Premier Coat and Pants are available in Tecasafe® Plus, NOMEX®, ADVANCE™, and Indura® Ultra-Soft Cotton.

Colors: Yellow, Tan, Green or Navy.

Item #	Description
4002T	Coat, 7 oz. Tecasafe® Plus
4002N	Coat, 6 oz. NOMEX®
SL4002N	Coat, 6 oz. NOMEX®, Breezetone Lined Sleeves
4002A	Coat, 7 oz. ADVANCE™
4002US	Coat, 9 oz. Indura® Ultra-Soft

Item #	Description
4003T13FL	Pants, 7 oz. Tecasafe® Plus
4003N13FL	Pants, 6 oz. NOMEX®
4003A13FL	Pants, 7 oz. ADVANCE™
4003US13FL	Pants, 9 oz. Indura® Ultra-Soft



### **CrewBoss GEN II Response Jacket**

This NFPA 1977 certified jacket achieves new levels of breathability, thermal protection, and comfort. Combine the CrewBoss Gen II Response Jacket with a pair of CrewBoss Gen II Tactical or Uniform Pants, and you have the most advanced wildland garment system on the market.

Item #	Description
CFC0222	Jacket, S362/S469 Yellow
WLS0772	Jacket, 7 oz. Sigma 4 Star NOMEX® IIIA Yellow

# **CREWBOSS**

### **CrewBoss GEN II Pants**

The Gen II pants combine a modernized station wear look, with the wildland functionality that you would expect from a CrewBoss Brush Pant.

Item #	Description
SWP0724	Tactical Pants, 7.7 oz. NOMEX® IIIA, S469 Twill Midnight Navy
SWP0721	Tactical Pants, 7.7 oz. NOMEX® IIIA, S469 Twill Black
SWP0524	Uniform Pants, 7.7 oz. NOMEX® IIIA, S469 Twill Midnight Navy
SWP0521	Uniform Pants, 7.7 oz. NOMEX® IIIA, S469 Twill Black

# **CrewBoss Dual Cert Elite Pants**

Certified for both station and wildland use, the dual compliant CrewBoss Elite Pants are designed to combine a more ergonomic fit with increased function.

Item #	Description
SRP0104	Pants, 6 oz. NOMEX®, Navy Blue
SRP0119	Pants, 7 oz. Tecasafe® Plus, Navy Blue
SRP0124	Pants, 7.7 oz. NOMEX®, Midnight Navy

FH911CR



# NFPA 1977 compliant

Wildfire® helmets are made of a heat-resistant thermoplastic that offers superior impact and penetration protection in wildland firefighting conditions. This helmet is available in a Hat-style for full brim coverage and a Cap-style for front brim coverage. Colors: Red, White, Yellow, Black, Blue, Orange, Lime-Yellow, or Dove Grey.

Extra-large full brim available in Red, White and Yellow colors.

- FH911HR: Wildfire® Helmet Hat-style
- FH911CR: Wildfire® Helmet Cap-style
- FH911XL: Wildfire® Helmet XL Brim



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

ADVERTENCIA: Cáncer y Daño Reproductivo - www.P65Warnings.ca.gov.

AVERTISSEMENT: Cancer et Troubles de l'appareil reproducteur - www.P65Warnings.ca.gov

FH911HR



# **LITE 360**

The Bullard Lite 360 allows responders to see and be seen at any time of day. Lite 360 features a pivoting headlamp, six peripheral lights, and multiple lighting modes for visibility in multiple work environments.



ANSI Z87.1 and U.S. Federal OSHA compliant

# **STRIKETEAM XTO™ GOGGLE** (Meets NFPA 1500)

Features smooth, closed-cell face padding for durability and ease of cleaning, and includes a set of two tear-off lens covers.

■ 740-0283: Striketeam XTO™ Goggle

# FIREPRO™ WILDLAND GOGGLE (Meets NFPA 1977)

Features a compact frame, extra-thick lenses and increased peripheral vision.

- 740-0377: FirePro-1977 FS<sup>™</sup>, wrap-around strap
- 740-0378: FirePro-1977 EX, two-piece strap system
- 740-0380: FirePro-1977 Asian-Fit, wrap-around strap

# INFLUX FIREPRO-1977 GOGGLE (Meets NFPA 1977)

Features the patented Adjustable Ventilation System (AVS), for either a dust-free, fully-sealed mode, or a fog-free, open-ventilation mode.

- EE7018-24: Influx FirePro-1977 FS, full strap and two Velcro tabs
- EE7018-25: Influx FirePro-1977 EX, two-piece strap system





WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov



# **FACE MASKS, PROTECTORS, & SHROUDS**





These firefighter designed and tested facial protection options use CarbonX

which withstands over 2000°F. Hot Shield Face Masks are options for wildland firefighting or any environment that requires heat protection without the benefit of positive pressure SCBA.

- HS-2: Wildland Firefighter Face Mask
- UNI-V2: Wildland Firefighter Ultra Shroud
- UB-V2: Wildland Firefighter Ultimate Bandanna
- HS-4COMBO: Respirator and Face Protector



CrewBoss 7 oz. Tecasafe Ear/Neck/Face Protector. Compatible with both Morning Pride and Bullard style wildland helmets. Constructed from 7 oz. Tecasafe for optimal protection. Pressure-sensitive hook and loop tabs allow for easy installation. Color: Yellow.

- WLF0217: Oversized
- WLF0517: Full
- WLF0317: Medium







WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov

CAL-OSHA compliant | The Wildland Firefighting Helmet Shroud provides ears, neck and face with added protection against heat, smoke, and flying debris. Available in NOMEX® either unlined or lined with FR Cotton. Also available with Velcro loops for secure attachment to the helmet suspension. Color: Yellow.

- 3620272: FR Cotton Lined Helmet Shroud, NOMEX®
- 3610272-41-LN: Unlined Helmet Shroud w/Velcro Loops, NOMEX®
- 3620272-41-LN: FR Cotton Lined Helmet Shroud w/Velcro Loops, NOMEX<sup>®</sup>



**CLASSIC HELMET SHROUD** Ear, neck and face protection designed to keep you safe by providing protection from radiant heat, wind and flying embers. Includes hook and loop strips for easy attachment to all wildland helmets. Available in NOMEX®. Color: Yellow.

- ENKFPNA: Ear Neck Face Protection, NOMEX®
- ENKFPXLNA: Ear Neck Face Protection, NOMEX®, X-Long

# **BOOTS & GLOVES**

# **GLOBE** STATION/WILDLAND 10"

### NFPA 1977 compliant

These boots have a cool and breathable AEROSPACER mesh lining plus a light and flexible PREDATOR™ outsole. Also included are safety toe cap, penetration-resistant insole, and shank for added protection. Color: Black.

	Ite
Ħ	F2
	F2

Item #	Description
F201050	Men's 10" Station/Wildland Boot
F20150W	Women's 10" Station/Wildland Boot

# **WHITE'S**



WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov

# **LACE-TO-TOE SMOKEJUMPER** NFPA 1977 compliant

When you are on your feet and hard at work all day, a good pair of boots is a necessity. White's Explorer Lace-to-Toe Smokejumper is a hard working boot at a great value. 10" leather uppers. Color: Black.

Item #	Description
H7809	Line Scout Lace-to-Toe Smokejumper



# **WILDAND TACTICAL FIREFIGHTER**

# NFPA 1977 compliant

Featuring fire-resistant, durable, rough-out leather and a breathable mesh lining. The durable, Vibram utsole is specially designed for oil- and stant traction over rugged and high-angle

a Fi	S587 ou slip-resis
4 4 8 F	terrain.

Item #	Description
18050	Wildland Tactical Firefighter Boot, 8", Rough-Out
18054	Wildland Tactical Firefighter Boot, 8", Smooth-Out



# **5002 WILDLAND GLOVE** NFPA 1977 compliant



Shelby Model 5002 is made of 3 oz. Pigskin and features Keystone Thumb Reinforced Protection in the thumb and palm. Sizes: XS, S, M, L, XL and Jumbo.

Item#	Description
5002	Wristlet Style
5002F	Gauntlet Style

# PRO-FECH 8 WILDLAND GLOVE NFPA 1977 compliant



The Pro-Tech 8 features a rugged cowhide suede outer shell, high quality full-grain leather and is lined with a lightweight modacrylic knit for extra comfort.

Sizes: XS, S, M, L, XL, 2XL and 3XL

Description
Regular Cuff
Knit Wristlet Cuff
Debris Blocker Cuff



# **WILDLAND GLOVE** NFPA 1977 compliant



The FireCraft FC-87 is an inexpensive option in a truly comfortable fire glove that can be worn for long periods of time without hand fatigue, discomfort or blistering.

Option: metal clasp and snugger strap.

Sizes: XS, S, M, L, XL, and 2XL

Item #	Description
FC-87W	Wristlet Style
FC-87	Gauntlet Style

# FIRE PROTECTION EQUIPMENT



**Pacific Division** 

1800 Peralta Street Oakland, CA 94607 phone: 800-443-3556 oaksales@Incurtis.com Intermountain Division

1635 Gramercy Road Salt Lake City, UT 84104 phone: 800-426-0509 slcsales@lncurtis.com **Northwest Division** 

6507 S. 208th Street Kent, WA 98032 phone: 800-426-6633 nwsales@Incurtis.com **Southwest Division** 

4647 South 33rd Street Phoenix, AZ 85040 phone: 877-453-3911 azsales@Incurtis.com



